



regulation of respiration with a variety of breathing exercises, and the practice of a number of physical exercises and postures, in which the focus is more on isometric exercise and stretching than on aerobic fitness.

A general feature of these practices is their capability of inducing a coordinated psychophysiological response, which is the antithesis of the stress response. This "relaxation response" consists of a generalized reduction in both cognitive and somatic arousal as observed in the modified activity of the hypothalamic pituitary axis and the autonomic nervous system (2). Bagchi and Wenger (3), in their early classic yoga research study wrote, "...physiologically Yogic meditation represents deep relaxation of the autonomic nervous system without drowsiness or sleep and a type of cerebral activity without highly accelerated electrophysiological manifestation but probably with more or less insensibility to some outside stimuli for a short or long time." A large number of subsequent research studies examining the effects of these techniques both in isolation and in combination have further confirmed these early results (4–9). Both short term and long-term practice of yoga techniques are associated with reductions of basal cortisol and catecholamine secretion, a decrease in sympathetic activity, with a corresponding increase in parasympathetic activity, reductions in metabolic rate and oxygen consumption and salutary effects on cognitive activity and cerebral neurophysiology.

Not surprisingly, the capability to affect psychophysiological functioning has led to

the implementation of these techniques as a therapeutic intervention in a number of disorders which have psychosomatic components. Historically, this limited application of yoga techniques for specific disorders is relatively recent compared to the ancient Vedic origins of yoga (10). Gharote (1987) has stated that "the therapeutic aspect of yoga does not feature in any of the traditional systems of self-help, except in the yoga sutras of Patanjali where we come across the word vyadhi meaning 'disease' in the list of disturbing factors of mind that are obstacles to liberation. ... although yoga therapy was not a developed branch of yogic discipline as such, we do get a glimpse of the therapeutic effects of the practices in some of the hatha yoga literature such as the Hatha Yoga Pradipika. However, advice is given here within the context of practice; that is, how to deal with the complaints that arise from faulty practice" (11). In fact, since the primary goal of yoga practice is spiritual development, beneficial medical consequences of yoga practice can more precisely be described as positive "side effects" (12).

The first systematic medical application of yoga started in India in 1918 at the Yoga Institute at Versova near Mumbai, the precursor of the Yoga Institute at Santa Cruz (13). This was soon followed by the clinical work at the Kaivalyadhama Yoga Institute in Lonavala under Swami Kuvalyananda in the 1920's (14, 15). Subsequently, yoga therapy has proliferated in India with the establishment of yogic hospitals and clinics, notably the Swami Vivekananda Yoga Research Institute near Bangalore (sVYASA), and the widespread application of yoga treatments by clinicians

and yoga institutes (15–17). This trend has also spread internationally, with the appearance of yoga therapy centers, the inclusion of yoga programs in hospital cancer programs and affiliated alternative medicine centers and the establishment of a new breed of clinicians called yoga therapists, for which there are yoga therapy training programs and a society, the International Association of Yoga Therapists (IAYT), based in the United States. There are now also several dozen books available specifically on the topic of yoga therapy in general, and even on yoga therapy for specific disorders (18, 19).

The application of yoga in such a limited and strictly therapeutic manner has drawn some criticism from proponents of yoga (14), given that yoga techniques are in fact part of an ancient and sacred spiritual tradition historically applied as a holistic lifestyle discipline (20). This concern has been further aggravated by the rapidly growing popularity of yoga in the west and its subsequent commercialization and application as a trendy body slimming and fitness tool. “Postures are taught as ends in themselves merely to heal an illness, reduce stress, or look better. The fact that these postures are a foundation for self-realization is generally ignored. Yoga is often thought of as calisthenics, epitomized by the headstand, the lotus posture, or another pretzel-like pose.” (21). However, from a broader perspective, both the healing of disease and spiritual endeavors share a common ground historically, in that many religious traditions incorporate a healing component. This is perhaps especially true of yoga: “Classical yoga is a source of many specific concepts and practices that promote

well-being: psychophysical and spiritual. Further, Yoga is a paradigmatic system of religious therapeutics – a path of healing that serves the purpose of religious liberation. Among world traditions, classical Yoga is a useful starting point for inquiry into the relationship of medical and religious health because it connects the cultivation of physical and psychological health with spiritual well-being and exemplifies the idea of religious liberation as healing” (22). Anand (1991) has stated this more simply: “The ultimate aim of medical sciences is the attainment of optimum physical and mental health for the individual. The ultimate aim of yogic practices is also the same, viz. physical and mental well-being” (23).

Research on the psychophysiological effects of yoga practice began with Kuvalyananda’s work in the 1920’s, and there are a number of published reviews of this basic research literature (4, 5, 7, 14, 24). Research on therapeutic applications of yoga and meditation began more recently (14), and although there are reviews of this literature, many of these are restricted to specific disorders (20, 25–27). Furthermore, a good deal of research has been published in yoga specialty journals such as *Yoga Mimamsa*, which are not easily accessible and therefore not consistently reviewed or cited. A previous bibliometric analysis has examined publications up to 1986 on both basic and clinical research on meditation, yoga and related topics, and incorporated a variety of article types including theoretical essays, case reports, reviews and abstracts (28). The purpose of this bibliometric analysis is to identify the current full extent of the yoga therapy studies published in

research journals, including the specialty yoga publications, so as to provide an accurate survey of the best research published and examine the trends within this research discipline.

## METHODS

The scope of this review will be restricted to clinical trial studies appearing in research journals, which report on interventions incorporating yoga or yoga-based techniques for the treatment of medical or psychiatric conditions or their associated symptoms. Abstracts, dissertations, reports or proceedings of meetings, and book chapters have been excluded. In a few circumstances, depending upon the extent of the information provided, brief reports or research letters in journals have also been included. Publications of case reports, case series, descriptions of treatment programs with minimal qualitative reported outcome measures, and population survey studies reporting on the prevalence of use of yoga as a therapeutic intervention have not been included.

Although meditation is an integral part of yoga practice, studies examining meditation alone without simultaneous incorporation of yogic breathing and/or specific yoga postures have not been included. This was done to restrict the scope of the review, since the meditation research literature is extensive and has been reviewed previously (9, 29–32). Notably, this criterion has excluded published research on the therapeutic application of Transcendental Meditation (TM), despite the fact that TM is in fact a yogic style of meditation and is often cited in research

databases with the term “yoga” as a keyword. Also excluded are applied studies of mindfulness meditation (Vipassana) or the mindfulness-based stress reduction program (MBSR), despite the fact that MBSR utilizes yogic stretching postures as part of the intervention, although this is generally incorporated in the context of providing a focus for mindfulness. Finally, reports of applied research using other simplified forms of meditation practice such as the Relaxation Response technique, have also been excluded.

Published reports of yoga therapy research studies were first identified through searches of electronic databases, primarily Medline (Pubmed), Psychinfo and the Indian Medlars Centre database. Additional citations were also acquired from the reference sections of research publications and reviews of the literature. A concerted effort was also made to identify research studies published in yoga specialty journals, especially *Yoga Mimamsa*.

Only publications for which reprints could be acquired were subjected to analysis. Each study was evaluated as to the presence of a control group and whether subjects were randomized to different study arms, to yield 3 possible study categories: uncontrolled trials, controlled trials, and randomized controlled trials (RCT's). To avoid any influence on the analysis from any potential bias in the quality or objectivity in publications in yoga specialty journals as compared with non-yoga research journals, the analysis has been done separately for each category. Each publication was also categorized as to the disease or disorder in the subject/patient

population, the country in which the study was performed, the year of publication and the group sample sizes in the RCT's.

## RESULTS

A total of 181 publications in 81 different journals published in 15 different countries were identified that met the criteria for the analysis and full reprints were acquired for all of these. A bibliography of these publications is in the Appendix. The journals with the most publications included *Yoga Mimamsa* (31), *Indian Journal of Physiology and Pharmacology* (10), *Journal of the Association of Physicians of India* (10), *Alternative Therapies in Health and Medicine* (7), *Indian Journal of Psychiatry* (6), *British Medical Journal* (5) and *Lancet* (5). In addition to these, there were 5 journals each with 4 publications, 5 with 3 publications, 8 with 2 publications, and 56 journals each with 1 publication. A total of 96 publications appeared in 27 journals published in India, 43 publications in 24 U.S. journals, 21 publications in 11 British journals and 21 publications in 19 journals from 12 other countries. A total of 34 publications were in yoga specialty journals with 31 in *Yoga Mimamsa*, 2 in the *Journal of the International Association of Yoga Therapists* and 1 in the *Journal of the Yoga Institute*.

An analysis of the type of studies reported (Fig. 1) revealed that 48.1% of the 181 publications were on uncontrolled studies, 39.8% were on RCT's, and 12.2% were on studies incorporating a control group that did not use randomized subject assignment. In the 147 non-yoga journal publications, the percentages were 40.1% for




Fig. 1: The 2 pie charts above show the proportions of all publications (top) and non-yoga specialty journal publications (bottom) that have reported on studies using RCT's, a non-randomized control group, and no control group.

uncontrolled studies, 45.6% for randomized controlled studies, and 14.3% for studies with a non-randomized control group.

Sample sizes for the separate study arms prior to the intervention and any subject withdrawal or disimpanelment were averaged for each RCT publication. From the total of 67 average sample size values, the frequency distribution for the 62 values less than 65 is shown in Fig. 2 plotted in bins of 5. Of the 5 sample size values not shown in this figure, 4 ranged from 91 to 102 and the highest was 311. The vast




Fig. 2: This histogram shows a distribution of the average group sample sizes for publications reporting on RCT's plotted with a bin size of 5.

majority of sample sizes ( $53/67 = 70\%$ ) were 30 or less.

The chronological distribution of publication date is presented in Fig. 3 and is shown for all publications, non-yoga journal publications and for non-yoga journal randomized control trial publications in 5-year bins. Twelve publications in 2004 (5 of them RCT's) have not been included in this analysis. A gradual increase in publications is apparent up until 1989, after which the numbers appear maintained at the same level.




Fig. 3: The histogram shows the chronological trend in 5-year intervals for all publications, non-yoga journal publications and non-yoga randomized trial publications. In all histograms, the non-yoga publications are a subset of all publications, and the non-yoga journal RCT publications are a subset of the non-yoga publications.




Fig. 4: This histogram shows the distribution of the publications relative to the country in which the study was conducted for all publications, and for non-yoga journal RCT publications.

Results of an analysis of the countries in which the studies were conducted are shown in the bar graph distribution in Fig. 4 for the non-yoga journal studies and the non-yoga journal RCT studies. For both non-yoga journal publications and non-yoga journal RCT's, a majority of the studies have been conducted in Indian institutions (58% of all non-yoga journal publications, and 48% of all non-yoga journal RCT publications). This is followed by U.S. researchers, with fewer than half as many publications and then by investigators in England (with 9 of 14 studies published by Patel and colleagues). The 17 publications in all journals by European research groups were distributed amongst the Czech Republic and Spain (3 each), Germany, Russia, Italy and Poland (2 each) and Sweden, Yugoslavia, and the Netherlands (1 each). Countries contributing one publication each to the Other category are Canada and Singapore. The number of RCT publications in India is also greater than that of the U.S. and England. However, the proportion of all non-yoga journal publications in India that are RCT's ( $32/85 = 38\%$ ) is less than that of the U.S. ( $18/31 = 58\%$ ) and England ( $12/14 = 86\%$ ). Of the 34 yoga journal publications (not shown

in Fig. 3), 29 were from investigators in India, followed by Italy (2), Spain (2) and Russia (1).

The type of disorders studied were assigned to broad categories as shown in Fig. 5. About one third of the psychiatric conditions consisted of depressive disorders




Fig. 5: This histogram shows the distribution of the publications relative to the disorder in the study population as classified into the categories indicated on the vertical axis. Numbers of publications are shown for all publications, non-yoga journal publications and non-yoga journal RCT publications.

and this was followed in order of prevalence by anxiety, addictive disorders and then a variety of other psychopathological conditions. Cardiovascular conditions were almost evenly split between either hypertension or heart disease. Respiratory conditions were predominantly asthma, with a smaller contribution of chronic obstructive pulmonary disease and a few other respiratory conditions. Neurological conditions included mostly headache and epilepsy, whereas musculoskeletal disorders included a wide array of unrelated conditions. Analysis of all the publications was based on a total of 202 clinical study

populations for all 181 publications (12 studies had 2 or more disorders), 162 clinical study populations for the 147 non-yoga journal publications (9 studies had 2 or more disorders). Within the 147 non-yoga journal publications, the discrete disorders that were studied the most were asthma (23), hypertension (21), heart disease (18), diabetes (16), depression or dysthymia (14), and anxiety (6). There were 76 clinical populations for the 67 non-yoga journal RCT publications (4 studies had 2 or more disorders).

## DISCUSSION

It is unlikely that all of the yoga therapy research publications meeting criteria have been acquired. In particular, a number of Indian journals have not been indexed as well and are difficult to acquire, particularly the yoga specialty journals. Furthermore, the inclusion and exclusion criteria have been rather arbitrary, especially regarding the inclusion of techniques which are very similar to classical yoga practices. Nevertheless, it is likely that the vast majority of publications have been examined and that the general trends reported in this study are sufficiently representative.

There are a number of cautions that should be noted in interpreting this literature. There is no single standardized yoga practice format, nor is this likely or necessarily desirable in the future. There is a very wide range of the types of yoga interventions used in this literature, ranging from individual breathing or postural techniques to complete yoga lifestyle interventions involving dietary and psycho-spiritual techniques. Application of

the interventions is equally varied, from individual practice to group sessions, from daily practice sessions to weekly sessions, and from short duration to long duration sessions. Also, the quality of publications included in this review varies dramatically, with some publications presenting less material than is apparent in many abstracts. Finally, a number of publications have been reports of separate results of different outcome variables from the same study; nevertheless, these have been treated as distinct publications in this study.

From the proportion of publications reporting RCT's, it is clear that the yoga specialty journal publications, while providing valuable preliminary data, have not been as rigorous as those published in non-yoga journal publications. The fact that almost half of the non-yoga journal publications have reported RCT's is encouraging, as these trials provide the most valuable information. The sample size analysis, however, suggests that the vast majority of these studies have been small RCT's.

It is clear that published research in yoga therapy has lagged significantly behind that of basic research in yoga which began in the 1920's (28). The earliest publication meeting the criteria in this study was published in 1967 in the journal *Yoga Mimamsa* by Bhole, which was an uncontrolled study evaluating a multicomponent yoga treatment for asthma conducted at the Kaivalyadhama yoga institute (see Appendix). The first RCT publications meeting the criteria in this study were published by Vahia et al. in

an Indian and a U.S. psychiatry journal (see Appendix). Both studies were conducted in India and compared active yoga treatments with inactive placebo control or pharmacological treatments in patients with anxiety and depression. The first yoga therapy publications by researchers outside of India were published by Chandra Patel and colleagues in England, who conducted a series of both uncontrolled and RCT's of yoga and biofeedback treatment for hypertension between 1973 and 1976 (see Appendix). The first publication of a yoga study (an RCT) from a U.S. research group (Hopkins & Hopkins, see Appendix) did not appear until 1979. A consistent increase in frequency of publications is apparent up to 1989, after which the frequency has been stable, suggesting the possibility of saturation or ceiling effect of productivity in this field. However, the fact that there are already 12 publications in 2004, with 5 of them RCT's, suggests that there may again be a sharp increase in the near future. This may be due in part to the recent increased interest in yoga as an alternative medical intervention, particularly in the West (33), and increased funding by government agencies such as the National Center for Complementary and Alternative Medicine in the U.S.

Clearly, the overwhelming amount of research published has come from Indian investigators. The percentages found in this analysis are similar to an estimate made in 1991 of the percentages in the entire field of yoga research (both basic and applied), which suggested that 50% of the research was performed in India (14). The predominance of Indian investigators is in contrast to the usual trend in scientific



research in which the U.S., England, Europe and Japan dominate productivity, but is perhaps not surprising given the Indian origin of yoga practice. However, many of the studies performed in India have been published in Indian journals, and peer-review procedures of some of these journals may not be as rigorous as those of Western journals. Furthermore, Indian investigators have generated proportionately fewer RCT's than their Western counterparts. This would suggest a greater effort is necessary for Indian scientists to continue moving towards improving their experimental design approaches. With the dramatic increase in popularity of yoga in the West, it is possible that Western laboratories may begin increasing the frequency of research in this area faster than that in India. For example, for the time period 1973 to 1989, the number of Indian and U.S. published RCT's was 11 and 2, respectively. From 1990 to 2004 the number of Indian-based studies was 21, a two-fold increase, whereas the number of U.S. studies was 16, an eight-fold increase.

The three types of disorders most evaluated in yoga studies have been psychiatric conditions, cardiovascular disorders, and respiratory disorders. The discrete disorders receiving the most attention were asthma, hypertension, diabetes, depression or dysthymia, heart disease and anxiety. It is likely that the choice of disorder chosen for evaluation of yoga's effectiveness has a number of contributing factors. One of these is the suitability of yoga's effectiveness in counteracting stress and reducing autonomic arousal, factors which are known to contribute to these disorders. Another

factor is likely the socio-political drive to address disorders that have the highest mortality rates. In this regard, heart disease, asthma, diabetes and hypertension are amongst disorders with the highest mortality rates. It is therefore unlikely that the analysis of the types of disorders studied with yoga interventions will provide reliable information about which disorders yoga is most useful for. The appropriate study for that determination would be a meta-analysis that would evaluate relative effect sizes for yoga treatments across disorders.

It is hoped that the analysis and bibliography presented in this study has elucidated the existing research literature in this area and will support research efforts evaluating the psychophysiological effects of yoga practice, and the use of yoga as an effective primary or adjunct therapeutic intervention.

#### ACKNOWLEDGEMENTS

The author is deeply indebted to his spiritual teacher Yogi Bhajan, a master of Kundalini Yoga, for his inspiration and guidance, and for bringing the ancient technology of yoga to North America. The author is also grateful to Ian Nagus, Hari Mandir Kaur Khalsa, Kristen Crowley, Kersten Dryden, John Passanese, Dr. Ramesh Bijlani and Dr. Julie Staples for assistance in acquisition of the publication reprints. The author is supported by a Mentored Research Career Development Award (5K01AT000066) from the National Center for Complementary and Alternative Medicine of the National Institutes of Health, U.S.A.

## REFERENCES

1. Aurobindo S. *The Synthesis of Yoga*. 5th Edition. Pondicherry, India: Sri Aurobindo Ashram Publication Department; 1999.
2. Benson H. *The Relaxation Response*. New York, NY: Morrow; 1975.
3. Bagchi BK, Wenger MA. Electro-physiological correlates of some Yogi exercises. *Electroencephalogr Clin Neurophysiol* 1957; Suppl. 7: 132-149.
4. Pratap V. Scientific studies on yoga - a review. *Yoga Mimamsa* 1971; 13: 1-18.
5. Funderburk J. *Science Studies Yoga: A Review of Physiological Data*. Glenview, EL: Himalayan International Inst; 1977.
6. Delmonte MM. Physiological concomitants of meditation practice. *Int J Psychosom* 1984; 31: 23-36.
7. Arpita. Physiological and psychological effects of Hatha Yoga: A review of the literature. *J Int Assoc Yoga Ther* 1990; 1: 1-28.
8. Jevning R, Wallace RK, Beidebach M. The physiology of meditation: a review. A wakeful hypometabolic integrated response. *Neurosci Biobehav Rev* 1992; 16: 415-424.
9. Murphy M, Donovan S. *The Physical and Psychological Effects of Meditation. A review of contemporary research with a comprehensive bibliography 1931-1996*. Taylor E. Ed., Sausalito, CA: The Institute of Noetic Sciences; 1999.
10. Gharote ML. Yoga therapy - its scope and limitations. *J Res Ed Indian Med* 1982; 1: 37-42.
11. Gharote ML. The essence of yoga therapy. In: *The Art of Survival: A Guide to Yoga Therapy*. Gharote ML, Lockhart M (Editors), London, England: Unwin Hyman Limited; 1987; pp. 3-6.
12. Goyeche JR. Yoga as therapy in psychosomatic medicine. *Psychother Psychosom* 1979; 31: 373-381.
13. Yogendra J. The study of clinical-cum-medical research and yoga. *J Yoga Institute* 1970; 16: 3-10.
14. Gharote ML. Analytical survey of researches in yoga. *Yoga Mimamsa* 1991; 29: 53-68.
15. Willoughby, D. Yoga therapy. *Yoga International* 2000; 55: 39-46.
16. Bhole MV, Karambelkar PV. Yoga practices in relation to therapeutics. *Yoga Mimamsa* 1972; 14: 27-34.
17. Vinekar SL. Scientific basis of yoga. *Yoga Mimamsa* 1976; 18: 89-97.
18. Gharote ML, Lockhart M. Eds, *The Art of Survival: A Guide to Yoga Therapy*. London, England: Unwin Hyman Limited; 1987.
19. Monro R, Nagarathna R, Nagendra HR. Yoga for Common Ailments. New York, NY: Fireside Simon and Schuster Inc.; 1990.
20. Taylor MJ, Majmundar M. Incorporating yoga therapeutics into orthopaedic physical therapy. *Orthop Phys Ther Clin North Am* 2000; 9: 341-360.
21. Garfinkel M, Schumacher HRJ. Yoga. *Rheum Dis Clin North Am* 2000; 26: 125-132.
22. Fields GP. *Religious Therapeutics: Body and Health in Yoga, Ayurveda, and Tantra*. Albany, NY: State University of New York Press; 2001. (SUNY Series in Religious Studies).
23. Anand BK. Yoga and medical sciences. *Indian J Physiol Pharmacol* 1991; 35: 84-87.
24. Udupa KN. A manual of science and philosophy of yoga. *J Res Indian Med Yoga Homoeopathy* 1976; 11: 1-103.
25. Raub JA. Psychophysiologic effects of Hatha Yoga on musculoskeletal and cardiopulmonary function: a literature review. *J Altern Complement Med* 2002; 8: 797-812.
26. Kaushal R, Behera D, Grover P. The theory and practice of yoga therapy for nasobronchial allergy. *Lung India* 1988; 6: 108-116.
27. Telles S, Naveen KV. Yoga for rehabilitation: an overview. *Indian J Med Sci* 1997; 51: 123-127.
28. Kulkarni MK. Scientific research on yoga: a bibliometric study. *IASLIC Bulletin* 1996; 41: 127-130.
29. Baer RA. Mindfulness training as a clinical intervention: A conceptual and empirical review. *Clin Psychol Sci Pract* 2003; 10: 125-143.
30. Proulx K. Integrating mindfulness-based stress reduction. *Holist Nurs Pract* 2003; 17: 201-208.
31. Perez-de-Albeniz A, Holmes J. Meditation : Concepts, effects and uses in therapy. *Int J Psychother* 2000; 5: 49-58.
32. Jacobs GD. Clinical applications of the relaxation response and mind-body interventions. *J Altern Complement Med* 2001; 7 Suppl 1: S93-S101.
33. Saper RB, Eisenberg DM, Davis RB, Culpepper L, Phillips RS. Prevalence and patterns of adult yoga use in the United States: Results of a national survey. *Altern Ther Health Med* 2004; 10: 44-49.

## APPENDIX

### BIBLIOGRAPHY

1. Ades PA, Savage PD, Elaine CM, Brochu M, Melinda LN, Poehlman ET. Resistance training on physical performance in disabled older female cardiac patients. *Med Sci Sports Exerc* 2003; 35: 1265–1270.
2. Aivazyan TA. Psychological relaxation therapy in essential hypertension: Efficacy and its predictors. *Yoga Mimamsa* 1990; 29: 27–39.
3. Alien KS, Steinkohl RP. Yoga in a geriatric mental clinic. *Activ Adapt Aging* 1987; 9: 61–68.
4. Ananthanarayanan TV, Srinivasan TM. Asana-based exercises for the management of low-back pain. *J Int Assoc Yoga Ther* 1993; 4: 6–15.
5. Balkrishna V, Sanghvi LD, Rana K, Doongaji DR, Vahia NS. The comparison of psychophysiological therapy with drug therapy. *Indian J Psychiatr* 1977; 19: 87–91.
6. Behera D. Yoga therapy in chronic bronchitis. *J Assoc Physicians India* 1998; 46: 207–208.
7. Behera D, Jindal SK. Effect of yogic exercises on bronchial asthma. *Lung India* 1990; 8: 187–189.
8. Bera TK, Gore MM, Kulkarni DD, Bhogal RS, Oak JP. Residential and non-residential yoga training on health related physical fitness of obese patients. *Yoga Mimamsa* 2002; 34: 166–187.
9. Bhagwat JM, Soman AM, Bhole MV. Yogic treatment of bronchial asthma - A medical report. *Yoga Mimamsa* 1981; 20: 1–12.
10. Bhaskaracharyulu C, Sitarama Raju P, Girija Kumari D, et al. The effect of yoga on lipoprotein profile in diabetics. *J Diabetic Assoc India* 1986; 26: 120–124.
11. Bhole MV. Treatment of bronchial asthma by yogic methods - A report. *Yoga Mimamsa* 1967; 9: 33–41.
12. Bhole MV. Effect of yogic treatment on various lung functions of asthma patients - A pilot study. *Yoga Mimamsa* 1982; 20: 43–50.
13. Bhole MV, Gharote ML. Effect of yogic treatment on breath-holding time in asthmatics. *J Res Indian Med Yoga Homoeopathy* 1978; 13: 1–4.
14. Bhole MV, Karambelkar PV. Effect of yogic treatment on blood picture in asthma patients. *Yoga Mimamsa* 1971; 14: 1–6.
15. Birkel DA, Edgren L. Hatha yoga: improved vital capacity of college students. *Altern Ther Health Med* 2000; 6: 55–63.
16. Broota A, Dhir R. Efficacy of two relaxation techniques in depression. *J Pers Clin Stud* 1990; 6: 83–90.
17. Broota A, Varma R, Singh A. Role of relaxation in hypertension. *J Indian Acad Appl Psychol* 1995; 21: 29–36.
18. Bulavin VV, Kliuzhev VM, Kliachkin LM, Lakshman Kumar, Zuikhin ND, Vlasova TN. Elements of yoga therapy in the combined rehabilitation of myocardial infarct patients in the functional recovery period. *Vopr Kurortol Fizioter Lech Fiz Kult* 1993; (4): 7–9.
19. Cernovsky Z. Es scale level and correlates of MMPI elevation: Alcohol abuse vs. MMPI scores in treated alcoholics. *J Clin Psychol* 1984; 40: 1502–1509.
20. Chaudhary AK, Bhatnagar HN, Bhatnagar LK, Chaudhary K. Comparative study of the effect of drugs and relaxation exercise (yoga shavasana) in hypertension. *J Assoc Physicians India* 1988; 36: 721–723.
21. Chauhan SKS. Role of yogic exercises in the withdrawal symptoms of drug-addicts. *Yoga Mimamsa* 1992; 30: 21–23.
22. Cohen L, Wameke C, Fouladi RT, Rodriguez MA, Chaoul-Reich A. Psychological adjustment and sleep quality in a randomized trial of the effects of a Tibetan yoga intervention in patients with lymphoma. *Cancer* 2004; 100: 2253–2260.
23. Cooper S, Osborne J, Newton S, et al. Effect of two breathing exercises (Buteyko and pranayama) in asthma: a randomised controlled trial. *Thorax* 2003; 58: 674–679.
24. Damodaran A, Malathi A, Patil N, Shah N, Suryavanshi, Marathe S. Therapeutic potential of yoga practices in modifying cardiovascular risk profile in middle aged men and women. *J Assoc Physicians India* 2002; 50: 633–640.
25. Dash M, Telles S. Improvement in hand grip strength in normal volunteers and rheumatoid arthritis patients following yoga training. *Indian J Physiol Pharmacol* 2001; 45: 355–360.
26. Datey KK, Deshmukh SN, Dalvi CP, Vinekar SL. "Shavasana": A yogic exercise in the management of hypertension. *Angiology* 1969; 20: 325–333.
27. de Vicente P. Neti Kriya in the management of bronchial asthma and spastic descending conditions of the respiratory tract. *Yoga Mimamsa* 1986; 24: 1–11.

28. de Vicente P. Role of yoga therapy in anxiety, neurosis and depression. *Yoga Mimamsa* 1987; 26: 1-14.
29. de Vicente P, Posada JL. Medical sophrology and yoga respiration in the physiotherapy of bronchial asthma. *Allergol Immunopathol* 1978; 6: 297-310.
30. DeMayo W, Singh B, Duryea B, Riley D. Hatha yoga and meditation in patients with post-polio syndrome. *Altern Ther Health Med* 2004; 10: 24-25.
31. Derezotes D. Evaluation of yoga and meditation trainings with adolescent sex offenders. *Child Adolesc Soc Work J* 2000; 17: 97-113.
32. Desai BP. Influence of yogic treatment of serum lipase activity in diabetes. *Yoga Mimamsa* 1984; 23: 1-8.
33. Desai BP, Bhole MV. Responses of asthmatics to six weeks yogic treatment in relation to their gastric secretions. *Yoga Mimamsa* 1982; 21: 1-6.
34. Desai BP, Bhole MV. Study of yoga treatment in relation to serum proteins in asthmatics - A preliminary study. *Yoga Mimamsa* 1983; 22: 40-46.
35. Deshmukh DK. Yoga in management of psychoneurotic, psychotic and psychosomatic conditions. *J Yoga Institute* 1971; 16: 154-158.
36. Deshpande RR, Bhole MV. Effect of yogic treatment on eosinophil count in asthma patients. *Yoga Mimamsa* 1982; 20: 9-16.
37. Deshpande RR, Bhole MV. Effect of yogic treatment on total and differential leukocyte count in asthmatics. *Yoga Mimamsa* 1982; 20: 1-8.
38. Divekar MV, Bhat M, Mulla A. Effect of yoga therapy in diabetes and obesity. *J Diabetic Assoc India* 1978; 18: 75-78.
39. Dolk A, Holmstrom B, Johansson C, Frostefl C, Nilsson BY. The effect of yoga on puborectalis paradox. *Int J Colorectal Dis* 1991; 6: 139-142.
40. Dvoracek V, Buzkova J. Clinical picture and psychotherapy of primary dysmenorrhea in adolescents. *Psychol Patopsychol Diet* 1986; 21: 447-457.
41. Engelman SR, Clance PR, Imes S. Self and body-cathexis change in therapy and yoga groups. *J Am Soc Psychosom Dent Med* 1982; 29: 77-88.
42. Fluge T, Richter J, Fabel H, Zysno E, Weller E, Wagner TO. Long-term effects of breathing exercises and yoga in patients with bronchial asthma. *Pneumologie* 1994; 48: 484-490.
43. Galantino ML, Bzdewka TM, Eissler-Russo JL, et al. The impact of modified Hatha yoga on chronic low back pain: A pilot study. *Altern Ther Health Med* 2004; 10: 56-59.
44. Ganguty SK. Cardio-vascular responses to yogic treatment of asthmatics. *Yoga Mimamsa* 1982; 20: 35-42.
45. Garfinkel MS, Schumacher HRJ, Husain A, Levy M, Reshetar RA. Evaluation of a yoga based regimen for treatment of osteoarthritis of the hands. *J Rheumatol* 1994; 21: 2341-2343.
46. Garfinkel MS, Singhal A, Katz WA, Allan DA, Reshetar R, Schumacher HRJ. Yoga-based intervention for carpal tunnel syndrome: a randomized trial. *JAMA* 1998; 280: 1601-1603.
47. Gharote ML. An evaluation of the effects of yogic treatment on obesity: a report *Yoga Mimamsa* 1977; 19: 13-37.
48. Gharote ML, Bhole MV, Bhagwat JM. Effect of yoga treatment on autonomic balance in asthmatics - A pilot study. *Yoga Mimamsa* 1983; 22: 73-79.
49. Giri R. New dimensions in the diagnosis and yogic treatment of cervical spondylitis/spondylosis. *Yoga Mimamsa* 1992; 30: 38-43.
50. Gore MM. Effect of yogic treatment on some pulmonary functions in asthmatics. *Yoga Mimamsa* 1982; 20: 51-58.
51. Gore MM. Yogic treatment for diabetes. *Yoga Mimamsa* 1987; 26:130-146.
52. Gore MM, Bhole MV. Respiratory responses to vastra dhauti in asthmatics. *Yoga Mimamsa* 1983; 22: 47-53.
53. Gould KL, Ornish D, Kirkeeide R, et al. Improved stenosis geometry by quantitative coronary arteriography after vigorous risk factor modification. *Am J Cardiol* 1992; 69: 845-853.
54. Gould KL, Ornish D, Scherwitz L, et al. Changes in myocardial perfusion abnormalities by positron emission tomography after long-term, intense risk factor modification. *JAMA* 1995; 274: 894-901.
55. Greendale GA, McDivit A, Carpenter A, Seeger L, Huang MH. Yoga for women with hyperkyphosis: results of a pilot study. *Am J Public Health* 2002; 92:1611-1614.
56. Grover P, Varma VK, Verma SK, Pershad D. Relationship between the patient's attitude towards yoga and the treatment outcome. *Indian J Psychiatr* 1987; 29: 253-258.

57. Grover P, Varma VK, Verma SK, Pershad D. Factors influencing treatment acceptance in neurotic patients referred for yoga therapy: An exploratory study. *Indian J Psychiatry* 1989; 31: 250–257.
58. Gupta HL, Dudani U, Singh SH, Surange SG, Servamurthy W. Sahaja yoga in the management of intractable epileptics. *J Assoc Physicians India* 1991; 39: 649.
59. Haslock I, Monro R, Nagarathna R, Nagendra HR, Raghuram NV. Measuring the effects of yoga in rheumatoid arthritis. *Br J Rheumatol* 1994; 33: 787–788.
60. Hopkins JT, Hopkins LJ. A study of yoga and concentration. *Acad Ther* 1979; 14: 341–345.
61. Jain SC, Rai L, Valecha A, Jha UK, Bhatnagar SO, Ram K. Effect of yoga training on exercise tolerance in adolescents with childhood asthma. *J Asthma* 1991; 28: 437–442.
62. Jain SC, Talukdar B. Role of yoga in control of hyperglycemia in middle aged patients of non-insulin dependent diabetes mellitus. *Indian J Clin Biochem* 1995; 10: 62–65.
63. Jain SC, Talukdar B. Evaluation of yoga therapy programme for patients of bronchial asthma. *Singapore Med J* 1993; 34: 306–308.
64. Jain SC, Uppal A, Bhatnagar SO, Talukdar B. A study of response pattern of non-insulin dependent diabetics to yoga therapy. *Diabetes Res Clin Pract* 1993; 19: 69–74.
65. Janakiramaiah N, Gangadhar BN, Naga VMP, Harish MG, Subbakrishna DK, Vedamurthachar A. Antidepressant efficacy of Sudarshan Kriya Yoga (SKY) in melancholia: a randomized comparison with electroconvulsive therapy (ECT) and imipramine. *J Affect Disord* 2000; 57: 255–259.
66. Janakiramaiah N, Gangadhar BN, Naga Venkatesha Murthy PJ, et al. Therapeutic efficacy of Sudarshan Kriya yoga (SKY) in dysthymic disorder. *NIMHANS J* 1998; 16: 21–28.
67. Jatuporn S, Sangwatanaroj S, Saengsiri AO, et al. Short-term effects of an intensive lifestyle modification program on lipid peroxidation and antioxidant systems in patients with coronary artery disease. *Clin Hemorheol Microcirc* 2003; 29: 429–436.
68. Joseph CD. Psychological supportive therapy for cancer patients. *Indian J Cancer* 1983; 20: 268–270.
69. Joshi KS. Yogic treatment of insomnia: An experimental study. *Yoga Mimamsa* 1992; 30: 24–26.
70. Kaye VG. An innovative treatment modality for elderly residents of a nursing home. *Clin Gerontol* 1985; 3: 45–51.
71. Kennedy JE, Abbott RA, Rosenberg BS. Changes in spirituality and well-being in a retreat program for cardiac patients. *Altern Ther Health Med* 2002; 8: 64–70, 72.
72. Kerr D, Gillam E, Ryder J, Trowbridge S, Cavan D, Thomas P. An Eastern art form for a Western disease: randomised controlled trial of yoga in patients with poorly controlled insulin-treated diabetes. *Pract Diabetes Int* 2002; 19: 164–166.
73. Kessell MJ. Women's adventure group: Experiential therapy in an HMO setting. *Women Ther* 1994; 15: 185–203.
74. Khalsa SS. Treatment of chronic insomnia with yoga: A preliminary study with sleep-wake diaries. *Appl Psychophysiol Biofeedback* 2004; (in press).
75. Khanam A A, Sachdeva U, Guleria R, Deepak KK. Study of pulmonary and autonomic functions of asthma patients after yoga training. *Indian J Physiol Pharmacol* 1996; 40: 318–324.
76. Khare KC, Jain D. Effect of yoga on plasma glucose and serum fructosamine level in NIDDM. *Yoga Mimamsa* 1999; 33: 1–9.
77. Khare KC, Rai S. Study of lipid profile in post myocardial infarction subjects following yogic life style intervention. *Indian Practitioner* 2002; 55: 369–373.
78. Khumar SS, Kaur P, Kaur S. Effectiveness of Shavasana on depression among university students. *Indian J Clin Psychol* 1993; 20: 82–87.
79. Koertge J, Weidner G, Elliott-Eller M, et al. Improvement in medical risk factors and quality of life in women and men with coronary artery disease in the Multicenter Lifestyle Demonstration Project. *Am J Cardiol* 2003; 91: 1316–1322.
80. Krejci M. A Study of the use of yoga with mentally retarded children. *Disabil Impairments* 1998; 12: 75–80.
81. Kroner-Herwig B, Hebing G, van Rijn-Kalkmann U, Frenzel A, Schilkowsky G, Esser G. The management of chronic tinnitus—comparison of a cognitive-behavioural group training with yoga. *J Psychosom Res* 1995; 39: 153–165.
82. Kulpati DDS, Kamath RK, Chauhan MR. The influence of physical conditioning by yogasanas and breathing exercises in patients of chronic obstructive lung disease. *J Assoc Physicians India* 1982; 30: 865–868.

83. Kumar V. A study on the therapeutic potential of some hathayogic methods in the management of irritable bowel syndrome. *J Int Assoc Yoga Ther* 1992; 3: 25-38.
84. Kumar AK, Kumari GK, Kumari GD, Sahay BK, Murthy KJR. Immediate effects of pranayama in airways obstruction. *Lung India* 1985; 3: 77-81.
85. Kumar BKU, Sengupta AK. Yogic exercise as a prophylaxis to reduce air sickness and morbidity in ab-initio pilot trainees. *Indian J Aerosp Med* 1996; 40: 56-61.
86. Lakshmikanthan C, Alagesan R, Thanikachalam S, et al. Long term effects of yoga on hypertension and/or coronary artery disease. *J Assoc Physicians India* 1979; 27: 1055-1058.
87. Latha, Kaliappan KV. Yoga, pranayama, thermal biofeedback techniques in the management of stress and high blood pressure. *J Indian Psychol* 1991; 9: 36-46.
88. Latha, Kaliappan KV. Efficacy of yoga therapy in the management of headaches. *J Indian Psychol* 1992; 10: 41-47.
89. Madhu SV, Vij JC, Bhatnagar OP, Krishnamurthy N, Anand BS, Chuttani HK. Coionic myoelectrical activity in irritable bowel syndrome before and after treatment. *Indian J Gastroenterol* 1988; 7: 31-33.
90. Mahajan AS, Reddy KS, Sachdeva U. Lipid profile of coronary risk subjects following yogic lifestyle intervention. *Indian Heart J* 1999; 51: 37-40.
91. Malhotra V, Singh S, Tandon OP, Madhu SV, Prasad A, Sharma SB. Effect of Yoga asanas on nerve conduction in type 2 diabetes. *Indian J Physiol Pharmacol* 2002; 46: 298-306.
92. Malhotra V, Singh S, Singh KP, et al. Study of yoga asanas in assessment of pulmonary function in NIDDM patients. *Indian J Physiol Pharmacol* 2002; 46: 313-320.
93. Malik SK, Singh P. Recitation of "Om" - A useful breathing exercise for patients with chronic obstructive pulmonary disease. *Bull PGIMER* 1982; 16: 119-121.
94. Manchanda SC, Narang R, Reddy KS, et al. Retardation of coronary atherosclerosis with yoga lifestyle intervention. *J Assoc Physicians India* 2000; 48: 687-694.
95. Manocha R, Marks GB, Kenchington P, Peters D, Salome CM. Sahaja yoga in the management of moderate to severe asthma: a randomised controlled trial. *Thorax* 2002; 57: 110-115.
96. McIver S, O'Halloran P, McGartland M. The impact of Hatha yoga on smoking behavior. *Altern Ther Health Med* 2004; 10: 22-23.
97. Meti BL, Srinivasan TM. Bronchial asthma - Management through practice of yogasana and pranayama. *Yoga Mimamsa* 1988; 27: 40-47.
98. Milani R, Giordana V, Bhole MV. Yoga - eutonia in genuine stress incontinence - An exploratory study. *Yoga Mimamsa* 1992; 30: 10-20.
99. Mogra AL, Singh G. Effect of biofeedback and yogic relaxation exercise on the blood pressure levels of hypertensives: A preliminary study. *Aviat Med* 1986; 30: 68-75.
100. Monro R, Power J, Coumar A, Nagarathna R, Dandona P. Yoga therapy for NIDDM: a controlled trial. *Complement Med Res* 1992; 6: 66-68.
101. Mukherjee A, Bandyopadhyay SK, Banerjee S, Maity AK. The influence of yogic exercise on blood sugar level in normal and diabetic volunteers. *Indian J Physiol Allied Sci* 1989; 43: 105-112.
102. Mukherjee A, Banerjee S, Bandyopadhyay SK, Mukherjee PK. Studies on the interrelationship between insulin tolerance and yoga. *Indian J Physiol Allied Sci* 1992; 46: 110-115.
103. Murthy PJ, Gangadhar BN, Janakiramaiah N, Subbakrishna DK. Normalization of P300 amplitude following treatment in dysthymia. *Biol Psychiatry* 1997; 42: 740-743.
104. Murthy PJ, Janakiramaiah N, Gangadhar BN, Subbakrishna DK. P300 amplitude and antidepressant response to Sudarshan Kriya Yoga (SKY). *J Affect Disord* 1998; 50: 45-48.
105. Murthy KRJ, Sahay BK, Sitaramaraju P, et al. Effect of pranayama (Rechaka, Puraka, and Kumbaka) on bronchial asthma - An open study. *Lung India* 1984; 2: 187-191.
106. Murugesan R, Govindarajulu N, Bera TK. Effect of selected yogic practices on the management of hypertension. *Indian J Physiol Pharmacol* 2000; 44: 207-210.
107. Nagarathna R, Nagendra HR. Yoga for bronchial asthma: a controlled study. *BMJ* 1985; 291: 1077-1079.
108. Nagarathna R, Nagendra HR, Seethalakshmi R. Daily PEFr Studies In Bronchial Asthmatics During Yoga Therapy. *Indian Practitioner* 1991; 44: 491-493.
109. Nagarathna R, Nagendra HR, Seethalakshmi R. Yoga - chair breathing for acute episodes of bronchial asthma. *Lung India* 1991; 9: 141-144.

110. Nagendra HR, Nagarathna R. An integrated approach of yoga therapy for bronchial asthma: a 3-54-month prospective study. *J Asthma* 1986; 23: 123-137.
111. Nowakowska C, Fellman B, Pasek T, Hauser J, Sluzewska A. Evaluation of relaxation and concentration exercises modelled on yoga in the treatment of psychogenic mental disorders. *Psychiatr Pol* 1982; 16: 365-370.
112. Oak JP, Bhole MV. ASQ and NSQ studies in asthmatics undergoing yogic treatment. *Yoga Mimamsa* 1982; 20: 17-24.
113. Oak JP, Bhole MV. Direction of change in the order of values of asthmatics by yogic treatment. *Yoga Mimamsa* 1982; 20: 25-34.
114. Ornish D. Avoiding revascularization with lifestyle changes: The Multicenter Lifestyle Demonstration Project. *Am J Cardiol* 1998; 82: 72T-76T.
115. Ornish D. Effects of stress management training and dietary changes in treating ischemic heart disease. *JAMA* 1983; 249: 54-59.
116. Ornish D, Brown SE, Scherwitz LW, et al. Can lifestyle changes reverse coronary heart disease? The Lifestyle Heart Trial. *Lancet* 1990; 336: 129-133.
117. Ornish D, Scherwitz LW, Billings JH, et al. Intensive lifestyle changes for reversal of coronary heart disease. *JAMA* 1998; 280: 2001-2007.
118. Panjwani U, Gupta HL, Singh SH, Selvamurthy W, Rai UC. Effect of Sahaja yoga practice on stress management in patients of epilepsy. *Indian J Physiol Pharmacol* 1995; 39: 111-116.
119. Panjwani U, Selvamurthy W, Singh SH, Gupta HL, Mukhopadhyay S, Thakur L. Effect of Sahaja yoga meditation on auditory evoked potential (AEP) and visual contrast sensitivity (VCS) in epileptics. *Appl Psychophysiol Biofeedback* 2000; 25: 1-12.
120. Panjwani U, Selvamurthy W, Singh SH, Gupta HL, Thakur L, Rai UC. Effect of Sahaja yoga practice on seizure control and EEG changes in patients of epilepsy. *Indian J Med Res* 1996; 103: 165-172.
121. Patel C. Yoga and biofeedback in the management of 'stress' in hypertensive patients. *Clin Sci Mol Med* 1975; Suppl. 2: 171s-174s.
122. Patel C. Reduction of serum cholesterol and blood pressure in hypertensive patients by behaviour modification. *J R Coll Gen Pract* 1976; 26: 211-215.
123. Patel CH. Yoga and bio-feedback in the management of hypertension. *Lancet* 1973; 2: 1053-1055.
124. Patel C. 12-month follow-up of yoga and bio-feedback in the management of hypertension. *Lancet* 1975; 1: 62-64.
125. Patel C, Datey KK. Relaxation and biofeedback techniques in the management of hypertension. *Angiology* 1976; 27:106-113.
126. Patel C, Marmot M. Can general practitioners use training in relaxation and management of stress to reduce mild hypertension? *Br Med J (Clin Res Ed)* 1988; 296: 21-24.
127. Patel C, Marmot MG, Terry DJ. Controlled trial of biofeedback-aided behavioural methods in reducing mild hypertension. *Br Med J (Clin Res Ed)* 1981; 282: 2005-2008.
128. Patel C, Marmot MG, Terry DJ, Carruthers M, Hunt B, Patel M. Trial of relaxation in reducing coronary risk: four year follow up. *Br Med J (Clin Res Ed)* 1985; 290:1103-1106.
129. Patel C, North WR. Randomised controlled trial of yoga and bio-feedback in management of hypertension. *Lancet* 1975; 2: 93-95.
130. Platania-Solazzo A, Field TM, Blank J, et al. Relaxation therapy reduces anxiety in child and adolescent psychiatric patients. *Acta Paedopsychiatr* 1992; 55:115-120.
131. Prabhakar S, Verma SK, Grover P, Chopra JS. Role of yoga in the treatment of psychogenic headache. *Neuro India* 1991; 39: 11-18.
132. Prakasamma M, Bhaduri A. A study of yoga as a nursing intervention in the care of patients with pleural effusion. *J Adv Nurs* 1984; 9:127-133.
133. Pratap V, Bhole MV. Effect of yoga treatment on hand steadiness in asthma patients. *Yoga Mimamsa* 1992; 30: 27-31.
134. Raina N, Chakraborty PK, Basit MA, Samarth SN, Singh H. Evaluation of yoga therapy in alcohol dependence syndrome. *Indian J Psychiatr* 2001; 43.
135. Rohini V, Pandey RS, Janakiramaiah N, Gangadhar BN, Vedamurthachar A. A comparative study of full and partial Sudarshan Kriya Yoga (SKY) in major depressive disorder. *NIMHANS J* 2000; 18: 53-57.
136. Rosenbaum E, Gautier H, Fobair P, et al. Cancer supportive care, improving the quality of life for

- cancer patients. A program evaluation report. *Support Care Cancer* 2004; 12: 293–301.
137. Sahasi G, Mohan D, Kacker C. Effectiveness of yogic techniques in the management of anxiety. *J Pers Clin Stud* 1989; 5: 51–55.
  138. Sahay BK. Yoga and diabetes. *J Assoc Physicians India* 1986; 34: 645–648.
  139. Sathyaprabha TN, Murthy H, Murthy BT. Efficacy of naturopathy and yoga in bronchial asthma--a self controlled matched scientific study. *Indian J Physiol Pharmacol* 2001; 45: 80–86.
  140. Savic K, Pfau D, Skoric S, Pfau J, Spasojevic N. The effect of Hatha yoga on poor posture in children and the psychophysiologic condition in adults. *Med Pregl* 1990; 43: 268–272.
  141. Setvamurthy W, Sridharan K, Ray US, et al. A new physiological approach to control essential hypertension. *Indian J Physiol Pharmacol* 1998; 42: 205–213.
  142. Sethi BB, Trivedi JK, Srivastava A, Yadav S. Indigenous therapy in practice of psychiatry in India. *Indian J Psychiatr* 1982; 24: 230–236.
  143. Shaffer HJ, LaSalvia TA, Stein JP. Comparing Hatha yoga with dynamic group psychotherapy for enhancing methadone maintenance treatment: a randomized clinical trial. *Altern Ther Health Med* 1997; 3: 57–66.
  144. Shannahoff-Khalsa DS, Ray LE, Levine S, Gallen CC, Schwartz BJ, Sidorowich JJ. Randomized controlled trial of yogic meditation techniques for patients with obsessive compulsive disorders. *CNS Spectrums* 1999; 4: 34–46.
  145. Shembekar AG, Kate SK. Yogic exercises in the management of diabetes mellitus. *J Diabetic Assoc India* 1980; 20: 167–171.
  146. Shettiwar RM, Singh H.C., Singh RK, Udupa KN. Metabolites of biogenic amines in management of essential hypertension by yoga. *Yoga Mimamsa* 1983; 22: 87–93.
  147. Sim MK. Treatment of disease without the use of drugs. VI. Treatment of rhinitis by a yogic process of cleaning and rubbing the nasal passage with a rubber catheter. *Singapore Med J* 1981; 22: 121–123.
  148. Singh RH. Evaluation of some Indian traditional methods of promotion of mental health. *Act Nerv Super* 1986; 28: 67–69.
  149. Singh V. Effect of respiratory exercises on asthma. The Pink City lung exerciser. *J Asthma* 1987; 24: 355–359.
  150. Singh V. Kunjal: a nonspecific protective factor in management of bronchial asthma. *J Asthma* 1987; 24: 183–186.
  151. Singh S, Malhotra V, Singh KP, Sharma SB, Madhu SV, Tandon OP. A preliminary report on the role of Yoga Asanas on oxidative stress in non-insulin dependent diabetes mellitus. *Indian J Clin Biochem* 2001; 16: 216–220.
  152. Singh S, Malhotra V, Singh KP, Madhu SV, Tandon OP. Role of yoga in modifying certain cardiovascular functions in Type 2 diabetic patients. *J Assoc Physicians India* 2004; 52: 203–206.
  153. Singh RB, Singh NK, Rastogi SS, Mani UV, Niaz MA. Effects of diet and lifestyle changes on atherosclerotic risk factors after 24 weeks on the Indian Diet Heart Study. *Am J Cardiol* 1993; 71: 1283–1288.
  154. Singh V, Wisniewski A, Britton J, Tattersfield A. Effect of yoga breathing exercises (pranayama) on airway reactivity in subjects with asthma. *Lancet* 1990; 335: 1381–1383.
  155. Steptoe A, Patel C, Marmot M, Hunt B. Frequency of relaxation practice, blood pressure reduction and the general effects of relaxation following a controlled trial of behaviour modification for reducing coronary risk. *Stress Med* 1987; 3: 101–107.
  156. Subrahmanyam S, Satyanarayana M, Rajeswari KR. Alcohohsm: newer methods of management. *Indian J Physiol Pharmacol* 1986; 30: 43–54.
  157. Sundar S, Agrawal SK, Singh VP, Bhattacharya SK, Udupa KN, Vaish SK. Role of yoga in management of essential hypertension. *Acta Cardiol* 1984; 39:203–208.
  158. Tandon MK. Adjunct treatment with yoga in chronic severe airways obstruction. *Thorax* 1978; 33: 514–517.
  159. Taneja I, Deepak KK, Poojary G, Acharya IN, Pandey RM, Sharma MP. Yogic versus conventional treatment in diarrhea-predominant irritable bowel syndrome: A randomized control study. *Appl Psychophysiol Biofeedback* 2004; 29: 19–33.
  160. Targ EF, Levine EG. The efficacy of a mind-body-spirit group for women with breast cancer: A randomized controlled trial. *Gen Hosp Psychiatry* 2002; 24: 238–248.
  161. Telles S, Narendran S, Raghuraj P, Nagarathna R, Nagendra HR. Comparison of changes in autonomic and respiratory parameters of girls



- after yoga and games at a community home. *Percept Mot Skills* 1997; 84: 251–257.
162. Tenghe S. Comprehensive approach for the treatment of the cardiac patients through yoga. *Yoga Mimamsa* 1990; 29: 33–42.
163. Tulpule TH. Yogic exercises and diabetes mellitus. *J Diabetic Assoc India* 1977; 17: 37–38.
164. Tulpule TH, Shah HM, Shah S J, Haveliwala HK. Yogic exercises in the management of ischaemic heart disease. *Indian Heart J* 1971; 23: 259–264.
165. Tulpule TH, Tulpule AT. Yoga: A method of relaxation for rehabilitation after myocardial infarction. *Indian Heart J* 1980; 32: 1–7.
166. Tyagi I, Sharma UD, Bajaj P, et al. Evaluation of pink city lung exerciser for prevention of pulmonary complications following upper abdominal surgery. *Indian J Anaesth* 1991; 39: 198–203.
167. Uma K, Nagendra HR, Nagarathna R, Vaidehi S, Seethalakshmi R. The integrated approach of yoga: a therapeutic tool for mentally retarded children: a one-year controlled study. *J Ment Defic Res* 1989; 33: 415–421.
168. Vahia NS. A deconditioning therapy based upon concepts of Patanjali. *Int J Soc Psychiatr* 1972; 18: 61–66.
169. Vahia NS, Doongaji DR, Jeste DV, Ravindranath S, Kapoor SN, Ardhapurkar I. Psychophysiological therapy based on the concepts of Patanjali: A new approach to the treatment of neurotic and psychosomatic disorders. *Am J Psychother* 1973; 27: 557–565.
170. Vahia NS, Doongaji D, Jeste D, Kapoor S, Ardhapurkar I, Ravindranath S. Further experience with the therapy based upon concepts of Patanjali in the treatment of psychiatric disorders. *Indian J Psychiatr* 1973; 15: 32–37.
171. Valeri A. Yoga - Medical gymnastic for the elderly. *Yoga Mimamsa* 1987; 26:16–25.
172. Van Montfrans GA, Karemaker JM, Wieling W, Dunning AJ. Relaxation therapy and continuous ambulatory blood pressure in mild hypertension: a controlled study. *BMJ* 1990; 300:1368–1372.
173. Vasudevan A, Kumaraiah V, Mishra H, Balodhi JP. Yogic meditation in tension headache. *NIMHANS J* 1994; 12: 69–73.
174. Vedanthan PK, Kesavalu LN, Murthy KC, et al. Clinical study of yoga techniques in university students with asthma: a controlled study. *Allergy Asthma Proc* 1998; 19: 3–9.
175. Vijayalakshmi P, Madanmohan, Bhavanani AB, Asmita P, Kumar BP. Modulation of stress induced by isometric handgrip test in hypertensive patients following yogic relaxation training. *Indian J Physiol Pharmacol* 2004; 48: 59–64.
176. Vijayalakshmi S, Satyanarayana M, Krishna-Rao PV, Prakash V. Combined effect of yoga and psychotherapy on management of asthma: A preliminary study. *J Indian Psychol* 1998; 7: 32–39.
177. Visweswaraiah NK, Telles S. Randomized trial of yoga as a complementary therapy for pulmonary tuberculosis. *Respirology* 2004; 9: 96–101.
178. Woolery A, Myers H, Stemlieb B, Zeltzer L. A yoga intervention for young adults with elevated symptoms of depression. *Altern Ther Health Med* 2004; 10:60–63.
179. Yogendra J, Yogendra HJ, Ambardekar S, et al. Beneficial effects of yoga lifestyle on reversibility of ischaemic heart disease: Caring Heart Project of International Board of Yoga. *J Assoc Physicians India* 2004; 52: 283–289.
180. Zaba R. The influence of intensive movement rehabilitation and breathing exercises on ventilatory parameters of the respiratory tract in children with idiopathic scoliosis I-degree. *Przegł Lek* 2003; 60: 73–75.
181. Zemankova M, Hodanova J, Trcalkova Z. Special physical training - Contribution to the improvement of complaints of children with mild cerebral dysfunction. *Cesk Pediatr* 1980; 35: 359–362.